


(0-20)

	-					-		, /	
		%	/	%	/	%	/		
-	-	99	6,86 ± 2,30	156,41	6,20 ± 1,16	130,2	- 0,66	- 26,21	0,19
-		8	6,99 ± 0,81	162,17	6,74 ± 0,30	164,46	- 0,25	2,29	-
:	-	33	6,99 ± 0,63	149,59	4,08 ± 0,66	93,02	- 2,91	- 55,57	1,11
		22	6,67 ± 1,19	142,74	4,26 ± 0,69	103,09	- 2,41	- 39,65	0,99
:		132	7,93 ± 1,04	169,70	7,09 ± 0,76	167,32	- 0,84	- 2,38	0,01
		110	7,36 ± 0,77	160,45	5,92 ± 0,62	129,06	- 1,44	- 31,39	0,52
		11	5.10 ± 0.33	120,36	3.79 ± 0.28	102.33	- 1.31	- 18.03	0.45

70-80-



), (, , , -
(, , ,),
(, , ,).
2 2,3

32 (

.1.

« 80% »

(.1). 5,1, 4,8

90 137

50

, 7 23
/).

(0,2

4,74%

20 , 6,35% – 50 6,45% – 60 .

:

10


1,1-1,6,

1,7 .

1,4-2,0 ,

14 ,

50 (.2).



.2.

III IV
835,4
462,9
(14,6%).
(16,3%),
3 5
10
(Z).
1 2
248 , 260 , 650 , 405 , 92 , 39
(IV)
1.
// , 1993. – . 14-23.
2. , 2010. – 687 .
3.
// , 1993. – . 87-112.
4.
– .: , 2001. – 80 .

ORGANIZATION AND CARRYING OUT OF LAND MONITORING IN THE CHELYABINSK REGION

A.V. Vrazhnov, V.N. Bragin, Kh.S. Yumashev

Chelyabinsk Research Institute of Agriculture, Russian Academy of Agricultural Sciences,
ul. Tchaikovskogo 14, Chebarkul raion, Chelyabinsk oblast, 456404 Russia, E-mail: chniisx2@mail.ru

Monitoring of agricultural lands in the reference plots of arable and virgin soils was performed; the degree of degradation and changes in agrochemical properties of agricultural soils adjacent to highways and the technogenic pollution of the Chelyabinsk region area were assessed from the composition of snow cover.

Keywords: monitoring, soil, highway, humus, acidity, phosphorus, potassium, heavy metals, radionuclides.